




Central Puget Sound sampling strata for the PSAMP/NOAA Bioeffects Survey, all strata.




Central Puget Sound sampling stations for the 1998 PSAMP/NOAA Bioeffects Survey, Port Townsend to Possession Sound (strata 1 through 5). (Strata numbers are shown in bold. Stations are identified as sample number).




Central Puget Sound sampling stations for the 1998 PSAMP/NOAA Bioeffects Survey, Port Madison and central basin (strata 6 through 8) and Liberty Bay to Bainbridge Island (13 through 15). (Strata numbers are shown in bold. Stations are identified as sample number).



Central Puget Sound sampling stations for the 1998 PSAMP/NOAA Bioeffects Survey, Eagle Harbor, central basin, and East Passage, (strata 9 through 12). (Strata numbers are shown in bold. Stations are identified as sample number).



Central Puget Sound sampling stations for the 1998 PSAMP/NOAA Bioeffects Survey, Bremerton to Port Orchard (strata 16 through 22). (Strata numbers are shown in bold. Stations are identified as sample number).



Central Puget Sound sampling stations for the 1998 PSAMP/NOAA Bioeffects Survey, Elliott Bay and the lower Duwamish River (strata 23 through 32). (Strata numbers are shown in bold. Stations are identified as sample number).